

SUPPLEMENT TO



The Gazette of India

No. 41]

NEW DELHI, SATURDAY, NOVEMBER 3, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 6th October, 1956.

	CHOLERA				SMALLPOX				PLAQUE					CHOLERA				SMALLPOX				
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
STATES PART (A) AND PART (C)																						
Ajmer																						
(Bstd. mid-year pop. 9,817 thousands.)																						
TOTAL
Total for w/e 29-9-56
Total for w/e 22-9-56
7-yearly mean for the week
Bhopal																						
TOTAL																						
(Bstd. mid-year pop. 867 thousands.)																						
Andhra																						
Srikakulam	7	1
Vijayapatnam	3	3
Godavari East	1
Godavari West	11	3
Krishna	..	8	3	10	1
Guntur	28	5
Nellore	5	2
Kurnool	..	3	3	37	16
TOTAL	..	11	6	101	32
Bihar																						
"N. R."																						
Bombay																						
Ahmednager
East Khandesh
West Khandesh
Nasik
Sholapur
Bijapur
Banaskantha
TOTAL
Assam																						
(Bstd. mid-year pop. 39,569 thousands.)																						
Nowrang	..	7	1
TOTAL	..	7	1
7-yearly mean for the week																						
47 15 30 3																						

Explanation of Symbols used : C. = Cases ; D. = Deaths ; .. = Nil; "N.R." = Information not received

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 6th October, 1956—contd.

CHOLERA						SMALLPOX						PLAQUE						CHOLERA						SMALLPOX																	
C.	D.	C.	D.	C.	D.	—						C.	D.	C.	D.	C.	D.	—						C.	D.	—															
Coorg												Manipur																													
TOTAL												TOTAL																													
(Estd. mid-year pop. 262 thousands.)												(Estd. mid-year pop. 613 thousands.)																													
Total for w/e 29-9-56												Total for w/e 29-9-56																													
Total for w/e 22-9-56												Total for w/e 22-9-56																													
7-yearly mean for the week																																									
Delhi												Orissa																													
TOTAL												Cuttack																													
(Census pop. 1,744 thousands)												165																													
Total for w/e 29-9-56												Balasore																													
Total for w/e 22-9-56												Puri																													
7-yearly mean for the week												Sambalpur																													
Himachal Pradesh												Ganjam																													
TOTAL												Dhenkanal																													
(Estd. mid-year pop. 1,003 thousands)												Sundergarh																													
Total for w/e 29-9-56												Kalahandi																													
Total for w/e 22-9-56												TOTAL																													
7-yearly mean for the week												(Estd. mid-year pop. 15,114 thousands.)																													
Madhya Pradesh												Total for w/e 29-9-56																													
"N.R."												Total for w/e 22-9-56																													
Madras												7-yearly mean for the week																													
Madras city												Pondicherry																													
Chingleput												Tripura																													
Salem												TOTAL																													
South Arcot												(Estd. mid-year pop. 706 thousands.)																													
Tanjore												Total for w/e 29-9-56																													
Mathurai												Total for w/e 22-9-56																													
Tirunelveli												7-yearly mean for the week																													
Malabar												Uttar Pradesh																													
TOTAL												Azamgarh																													
(Estd. mid-year pop. 38,273 thousands.)												Bareilly																													
Total for w/e 29-9-56												Jhansi																													
Total for w/e 22-9-56												Lucknow																													
7-yearly mean for the week												Selapur																													
N.R.												TOTAL																													

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 6th October, 1956—contd.

	CHOLERA			SMALLPOX			PLAGUE				CHOLERA			SMALLPOX			PLAGUE		
--	C.	D.	C.	D.	C.	D.		--	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	
Vindhya Pradesh										Saurashtra									
“N.R.”																			
West Bengal																			
Bankura	.	.	10	5	1	1	TOTAL	
Howrah	.	.	11	4	4	3	TOTAL	53	7	
24-Parganas	.	.	4	2	..	1	Grand total for States	.	.	142	54	59	9	
Calcutta	.	.	7	7	12	11	Part (B)	
Nadia	.	.	1	3	Grand total for States	.	.	562	298	287	95	3	
Murshidabad	.	.	30	15	4	Parts (A), (B) & (C)	
Malda	.	.	3	3	2	2	ARREAR INFORMATION										
TOTAL	.	.	66	39	23	18	Hyderabad										
(Estd. mid-year pop. 26,396 thousands.)									Total for w/e 29-9-56	3
Total for w/e 29-9-56	54	23	30	20			Hyderabad
Total for w/e 22-9-56	32	14	27	15			Aurangabad	.	.	20	13
7-yearly mean for the week	61	26	4	1			Nanded	.	.	4	4
Grand Total for (States Parts (A) and C) exclud- ing Bihar, Madhya Pradesh and Vindhya Pradesh,	.	.	420	244	228	86	3	..	Parbhani	.	.	39	14
Corresponding (Estd. mid-year pop. 235,775 thousands)*									Bhir	.	.	29	15
Corresponding Total for w/e 29-9-56	283	130	339	99			Raichpur	.	.	21	9
Corresponding Total for w/e 22-9-56	283	132	292	98	1	..			Nalgonda	.	.	—	..	1
Corresponding 7-yearly mean for the week	660	316	162	31	3	1			TOTAL	.	.	113	55	4
STATES PART (B)										Himachal Pradesh									
Hyderabad																			
Aurangabad	.	.	56	21	West Bengal										
Parbhani	.	.	43	20	Total for w/e 29-9-56	1	3
Bhir	.	.	31	11	Bankura	
Raichur	.	.	12	2	Hooghly	.	.	1	
Hyderabad	3	Hawrah	.	.	5	2	II	7	
Khammam	1	2	24 Parganas	.	.	6	2	6	2	
TOTAL	.	.	142	54	4	2	Calcutta	.	.	2	2	8	4	
Jammu and Kashmir										Nadia									
“N.R.”																			
Madhya Bharat										Murshidabad									
“N.R.”																			
Mysore										Malda									
Mandya	2	Total for w/e 29-9-56	.	.	54	23	30	20
TOTAL	2	Kamrup	3
Patiala and East Punjab States Union										Assam									
TOTAL	Nowrang	.	.	8	3
Rajasthan										for w/e 29-9-56									
“N.R.”																			

Explanation of symbols used. C.—Cases; D.—Deaths. . . = Nil; "N.R."—Information not received.

*Excluding Pondicherry.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 6th October, 1956—concl'd.

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE	
	C.	D.	C.	D.	C.	D.	—	C.	D.	C.	D.	C.	D.
Rajasthan													
For w/e 29-9-56													
TOTAL • 2 Greater Bombay 9-9-56 1 (Flea—borne)													
Saurashtra													
For w/e 29-9-56													
Halar	•	•	I	Information based on patients treated in hospitals in important towns)				
TOTAL	•	•	I	..	—	..	Place	Period	Cases		
Madhya Bharat													
For w/e 29-9-56													
Morena	25	9	Uttar Pradesh	1—15 Sept. 56	5	(Paretic)	
Nimar	I	Delhi	16—29 Sept. 56	2	"	
TOTAL	•	•	25	9	I	Punjab	1—15 Sept. 56	13	"	
Explanation of symbols used: C=Cases ; D=Deaths; ..=Nil ; N. R.=Information not received.													

NEW DELHI-2 (INDIA);

The 29th October, 1956.

K. MITRA,
for Registrar General, India.

Prosper with the NATION INVEST YOUR SAVINGS IN GOVERNMENT OF INDIA'S Small Savings Scheme

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

AC. 606

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956

Deaths from I.—

Town	Mid-year Popn. Est. (000)†	B.	B.R.‡	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.‡	I.D.
STATES - (Parts A and C)													
Ajmer													
Ajmer	223	86	20·1	3	..	3	..	22	5·1	3
Beawar	59	18	15·9	13	..	5	..	25	22·0	4
TOTAL	282	104	19·2	16	..	8	..	47	8·7	7
Andhra													
Adoni	63	49	40·4	4	3	..	14	11·6	3
Anantapur†	46	19	21·4	2	2	1	..	18	20·3	3
Anakapalli	36	31	44·8	2	1	8	11·6	3
Bhimavaram	43	18	21·8	2	1	6	7·3	1
Chirala	45	30	34·7	2	..	3	..	13	15·0	3
Chittoor	43	15	18·6	1	2	2·5	1
Cuddapah	99	33	17·3	8	2	1	1	30	15·8	6
Eluru	36	20	28·9	3	1	9	13·0	1
Gudivada	147	114	40·4	17	5	4	3	91	32·3	28
Guntur	37	15	21·1	2	1	1	1	8	11·2	1
Guntakal	113	30	13·8	6	3	2	..	20	9·2	2
Kakinada	68	60	45·9	1	1	3	..	19	14·5	5
Kurnool	88	34	20·1	3	16	9·4	4
Masulipatnam	37	28	39·3	1	1	11	15·5	..
Nandyal	95	91	49·8	—	2	3	2	1	30	16·4	12
Nellore	122	86	36·6	..	1	—	10	2	1	..	30	15·8	11
Proddatur†	67	49	38·0	1	..	2	..	11	8·5	3
Rajahmundry	128	80	32·5	..	3	..	9	1	15	..	43	17·5	13
Tenali	75	33	22·9	4	..	5	1	27	18·7	2
Vijayawada†	1,387	835	31·3	..	4	..	76	26	43	8	406	15·2	95
Visakhapatnam	128	80	32·5	..	3	..	9	1	15	..	43	17·5	13
Vizianagaram	75	33	22·9	4	..	5	1	27	18·7	2
TOTAL	1,387	835	31·3	..	4	..	76	26	43	8	406	15·2	95
Assam													
Bhopal													
Bhopal	116	41	18·4	3	2	10	..	25	11·2	..
Bihar													
Bombay													
Ahmedabad	889	821	48·0	22	19	46	..	313	18·3	101
Ahmednagar	88	59	34·9	1	11	6·6	5
Amalner	50	35	36·4	7	..	1	..	12	12·5	..
Bagalkot	36	30	43·3	1	1	2	..	4	5·8	..
Baroda	242	213	45·7	19	2	14	1	82	17·6	21
Barsi	46	55	62·2	3	2	17	19·2	7
Belgaum	110	29	13·7	2	1	3	..	17	8·0	3
Bhusawal	62	65	54·5	4	..	2	..	12	10·1	1
Bijapur	75	40	27·7	1	..	1	..	12	8·3	1
Broach	67	64	49·5	2	..	3	1	12	9·3	2
Cambay	41	49	62·2	1	4	..	36	45·7	11
Chalisgaon	35	23	34·2	7	12	17·8	4
Dharwar	76	24	16·4	3	16	10·9	..
Dhulia	89	56	32·7	6	2	1	1	15	8·8	3
Gadag-Betegori	71	46	33·7	6	1	1	..	24	17·6	5
Godra	40	32	41·5	3	14	5·2	..
Greater Bombay	3,449	2,002	30·2	1	38	102	1	635	9·6	170
Hubli	148	50	17·6	2	1	12	4·2	3
Jalgaon	79	145	94·4	3	1	18	11·9	4
Kalyan	73	26	18·5	1	2	7	5·0	3
Kolhapur	159	100	32·7	4	1	3	..	28	9·2	7
Malegaon	63	61	50·3	10	1	2	1	14	11·6	5
Miraj	44	29	34·3	1	..	3	..	9	10·6	2
Nadiad†													

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Rheuge ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956—*contd.*

Deaths from :—

Town	Mid-year popn-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay—<i>contd.</i>													
Nandurbar	35	29	43·1	3	1	2	..	8	11·9	1
Nasik	119	86	37·6	1	9	2	4	..	50	21·8	22
Navasari	50	30	31·2	4	7	7·3	1
Pandharpur	44	31	36·6	3	4	4	..	21	24·8	12
Patan	47	48	53·1	2	2	5	..	22	24·3	8
Poona	607	376	32·2	4	5	31	..	131	11·2	34
Sangli	58	38	34·0	3	1	2	..	16	14·3	5
Satara	40	34	44·2	2	..	11	14·3	5
Sholapur	299	271	49·1	29	15	49	..	176	30·6	40
Surat	250	208	43·3	12	1	19	..	91	18·9	38
Thana	61	43	36·7	4	2	4	1	19	16·2	4
TOTAL	7,642	5,248	35·7	2	180	103	312	7	1,874	12·8	528
Delhi State													
Delhi City	1,124	754	34·9	48	10	16	2	141	6·5	47
New Delhi	374	386	53·7	6	7	5	..	125	17·4	35
N.A.C. Civil Station Delhi	117	103	45·8	1	13	5·7	4
Delhi Cantt.	50	10	10·4	—
Delhi-Shahdara	53	64	62·4	4	..	1	..	8	7·8	2
TOTAL	1,718	1,317	39·7	59	17	22	2	287	8·7	88
Madhya Pradesh													
Madras													
Ambur	44	24	28·4	2	..	2	..	6	7·0	1
Aruppukottai	56	44	40·9	1	2	2	1	14	13·0	7
Bodinayakanpur	40	10	13·0	5	6·5	..
Cannore	47	16	17·8	..	1	1	..	8	9·0	..
Chidambaram	39	35	46·7	3	..	2	..	14	18·7	5
Coimbatore	234	220	48·9	2	6	11	2	46	10·2	11
Cuddalore	74	45	31·6	..	1	1	2	..	17	11·9	3
Dindigul	90	32	18·4	1	16	9·4	4
Erode	67	51	39·6	1	9	..	16	12·4	2
Gobichettipalyam	38	19	26·0	1	..	1	..	8	10·9	3
Gudiyattam	53	34	33·4	1	1	..	9	8·9	1
Kancheepuram	90	52	30·0	4	13	1	33	19·0	7
Karaikudi	44	18	21·2	4	4·7	..
Karur	50	23	23·9	2	..	1	..	9	9·3	2
Kozhikode	176	137	40·5	2	..	4	1	56	16·5	9
Kumbakonam	105	64	31·7	..	1	1	20	9·9	5
Madras	1,703	825	25·2	..	2	..	33	68	145	3	454	13·9	124
Mangalore	136	53	20·3	1	1	5	..	25	9·6	4
Mathurai	427	355	37·1	6	3	26	1	98	11·9	13
Mayuram†	41	6	7·6	2	1	..	8	10·2	3
Malapalyam
Nagapattinam	60	45	39·0	14	12·1	4
Ootacamund	47	29	42·2	3	..	9	9·7	2
Palni	40	26	33·8	1	..	4	..	10	13·0	2
Palayamkottai	45	53	61·2	2	..	12	13·9	3
Palghat	77	53	35·8	8	..	25	16·9	3
Periyakulam	34	15	22·9	2	2	..	10	15·2	2
Pollachi	51	21	21·4	3	2	..	18	18·4	..
Pudukkottai†
Rajapalayam	69	26	19·6	2	3	5	..	16	12·0	..
Salem†	42	16	19·8	1	1	..	5	6·2	1
Srirangam
Srivilliputtur †

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infant deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956—*contd.*

Town	Mid-year Popn. Est. (ooo)	B.	B.R.*	Deaths from :—								D.R.*	I.D.	
				C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Madras—<i>contd.</i>														
Tanjore	118	65	28·6	2	3	2	..	24	10·6	1	
Tellicherry	42	38	47·0	1	1	1	..	16	19·8	..	
Tiruvannamalai	45	36	41·6	2	5	11	12·7	6	
Tirunelveli	80	59	38·4	2	10	..	25	16·3	7	
Tiruppur	63	73	60·3	1	2	1	21	17·3	6	
Tiruchirappalli	251	133	27·6	4	6	5	1	52	10·8	7	
Tuticorin	111	94	44·0	4	13	..	38	17·8	18	
Vanijambadi	43	27	32·7	2	6	7·3	..	
Vellore	124	107	44·9	1	2	8	..	41	17·2	6	
Villupuram	39	42	56·0	..	1	4	2	..	11	14·7	7	
Virudhunagar	53	38	37·3	2	3	..	9	8·9	1	
TOTAL	4,989	3,019	31·5	..	6	..	61	131	304	11	1,239	12·9	280	
Orissa														
Pondicherry														
Pondicherry	68	86	57·6	..	1	..	4	5	3	..	19	14·5	14	
Punjab (I)														
Ambala	65	65	52·0	3	..	7	..	11	8·7	3	
Amritsar	343	253	38·4	2	8	23	2	86	13·0	32	
Batala	62	35	29·3	6	3	6	..	26	21·8	9	
Bhiwani	57	67	61·3	7	14	12·8	4	
Ferozepore†														
Hissar	39	45	60·0	1	..	1	..	3	4·0	1	
Hoshiarpur	51	31	31·6	2	..	8	8·2	2	
Jullundur	200	182	47·4	10	7	6	..	34	8·9	13	
Karnal	72	70	50·7	6	10	7·3	1	
Ludhiana	176	209	62·0	15	..	3	..	32	9·5	12	
Moga†														
Panipat	64	35	28·5	2	..	1	..	5	4·1	—	
Pathankot	34	40	61·4	3	3	4·5	1	
Rewari	36	30	43·3	3	1	6	8·5	2	
Rohtak	105	86	42·8	3	5	2·5	1	
Simla	50	33	34·5	2	2·1	2	
Sonipat	34	33	50·6	4	7	10·7	5	
TOTAL	1,388	1,214	45·5	65	19	49	2	252	9·4	88	
Uttar Pradesh														
Agra	375	275	38·1	1	11	38	..	81	11·3	19	
Alahabad	349	215	32·2	5	22	1	..	58	8·8	19	
Amroha	61	71	60·5	8	3	5	..	30	25·5	11	
Bahraich	47	25	27·6	1	..	1	..	3	3·3	..	
Banaras	383	412	56·0	52	12	18	..	184	25·0	44	
Ballia	35	10	14·9	5	7·5	3	
Banda†														
Bareilly	203	91	23·2	5	4	9	1	27	6·8	6	
Bijnor	32	19	30·0	1	3	1	2	..	8	12·1	3	
Budaud	54	42	40·5	3	1	3	..	15	14·5	6	
Basti†														
Bulandshahr†														
Chandausi	41	41	52·0	3	4	3	..	20	25·4	10	
Dehra Dun	146	87	31·0	3	2	3	..	19	6·8	5	
Etawah†														

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile deaths (included in total deaths); .. = Nil information; "N. R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956—*contd.*

Deaths from—

Town	Mtd.-year Popn.—Est. (000)	B.	B.R.*	C	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—<i>contd.</i>													
Faizabad-Ayodhya	88	40	23.6	1	..	2	..	10	5.7	2
Parrukhabad-Fatehgadh	82	65	41.2	7	1	6	..	21	13.2	9
Ferozabad	79	62	41.0	9	2	16	10.6	3
Ghazibabad	46	31	35.0	4	7	7.6	3
Gazipur	36	24	34.7	7	12	17.4	4
Gorakhpur	140	117	43.6	6	2	4	..	27	10.0	8
Gonda	35	4	6.0	1	1	1.5	..
Hapur	49	39	41.4	5	1	14	14.7	4
Hardwar	64	44	35.8	10	2	6	..	29	23.6	10
Hathras	62	71	59.8	9	5	5	1	33	27.7	10
Jaunpur	56	35	32.6	3	1	4	..	11	10.3	1
Jhansi	116	127	57.0	22	3	4	..	42	18.8	13
Kanpur	734	460	32.7	127	22	46	7	329	23.4	79
Kasganj	34	10	15.3	3	4	6.1	1
Khurja	41	20	25.5	5	..	2	..	12	15.3	..
Koll-Aligarh	150	72	25.0	2	2	3	..	16	5.6	7
Lucknow	494	319	33.6	21	4	18	..	162	17.1	52
Mathura	110	178	84.5	15	3	7	..	34	16.2	10
Man-Nath Bhanjat	185	137	38.6	8	3	5	..	23	6.5	9
Meerut	97	47	25.3	4	2	4	..	15	8.0	8
Mirzapur Vindhyaichal
Moradabad	164	194	61.7	10	4	14	..	60	19.0	16
Muzaffarnagar	74	87	61.4	17	1	24	16.8	9
Pilibhit	45	44	51.1	7	1	4	..	16	18.5	4
Rampur†	162	99	31.8	21	1	2	1	55	17.6	19
Saharanpur	65	67	53.8	4	..	7	..	17	13.6	5
Shahjahanpur	99	48	25.2	14	2	2	—	28	14.7	7
Sitapur	49	28	29.7	3	3	9	9.6	2
TOTAL	5,082	3,757	38.4	1	424	108	249	11	1,477	15.1	421

West Bengal

Asansol†	66	5	4.0	1	0.8	1	
Baidyabati†	
Bally	
Bankura	50	19	19.8	3	3.1	..	
Bansberia†	
Baranagar	90	41	23.6	1	1	3	..	14	11.4	5	
Basirhat†	39	7	9.4	1	1.3	..	
Berhampur	64	58	47.3	2	2	14	11.4	3	
Bhadreswar	34	13	20.0	1	1.5	..	
Bhatpara	143	35	12.7	9	..	3	1	30	11.0	13	
Budge-Budge	32	11	18.0	1	3	6	9.7	..	
Burdwan	82	25	15.9	4	1	..	16	10.2	..	
Calcutta†	
Champdani	41	18	23.0	
Cooch Behar†	
Darjeeling†	
English-Bazar	36	124	15	6.3	4	..	2	..	4.6	5	
Garden Reach	
Hajisarai†	
Hooghly-Chinsurah	60	64	55.6	..	2	3	..	5	1	1	2	15	13.0	..
Howrah	477	215	23.6	14	32	..	126	13.8	45	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Disease; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..=No information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (ooo)	B.	B. R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
West Bengal—<i>contd.</i>													
Jalpaiguri† Kamarhati† Kanchrapara	74	9	6·4	1	..	1	0·7	1
Krishnagar Midnapore Nabadwip†	56 45	37	43·0	2	11	12·8	..
Naihati North Barrackpore Panhati†	62 36	13 6	11·0 8·7	1	1·5	..
Shantipur† Serampore Siliguri†	83	55	34·6	2	2	1	..	12	7·6	5
South Dum Dum South Suburban Titagarh	83 124 78	59 35	24·9 23·5	4	8	..	17	7·2	3
TOTAL	1,979	740	19·4	2	3	..	38	32	58	4	297	7·8	84
STATES (Part B)													
Hyderabad													
Aurangabad Bidar† Gulberga	73	12	8·5	1	..	3	2·1	—
Hyderabad City Jalna† Kothagudiam†	1,057	328	16·1	29	8	9	1	147	7·2	8
Latur Nanded Nizambad†	41 80 29	..	18·9	2	1	3	3·8	..
Parbhani Raichur† Secunderabad City	40 162	7 158	9·1 50·7	1	2	3	—	8	10·0	2
Warangal	153	36	12·1	10	..	1	—	17	5·7	..
TOTAL	1,698	577	17·7	51	12	22	1	234	7·2	20
Jammu & Kashmir													
Madhya Bharat													
Mysore													
Bhadravati† Bangalore Mysore	977 294	161 135	8·6 23·9	9	5	8	..	59	3·1	1
Kolar Gold Field Bellary Davangere	173 78 69	102 24 22	30·7 16·0 16·6	2	4	..	23	6·9	1
Hospet Shimoga	45 57	25 25	28·9 23·8	1	2	12	13·9	1
TOTAL	1,693	494	15·2	13	8	16	..	131	4·0	9
PEPSU													
Patiala City Malerkotla Bhatinda	111 34 39	65 28 30	30·5 42·8 40·0	15	1	2	..	35	16·4	17
TOTAL	184	123	34·8	19	1	3	..	41	11·6	20

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. = Nil Information ; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	Deaths from												D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total				
Rajasthan															
Alwar†		38	8	10.9	1	3	22	4.1	1	
Bharatpur	117	30	13.3	4	3	4	9.7	..	
Bikaner															
Churu	48	1	1.1
Ganganagar†															
Tonk	45	4	4.6	1	4	4.6	..	
Kotah															
Sikar†															
Jaipur	353	79	11.5	29	2	7	..	98	14.5	27		
Udaipur †															
Jodhpur	200	89	23.1	..	1	..	14	..	4	..	24	6.2	..		
TOTAL		873	234	13.9	..	1	..	54	6	15	..	161	9.6	29	
Travancore-Cochin															
Alleppey	148	32	11.2	2	1	..	10	3.5	..		
Changanacherry	41	18	22.8	1	3	3.8	..		
Ernakulam	79	42	33.6	1	12	8.9	..		
Kottayam†															
Mattanchery	85	78	47.7	1	2	5	..	18	11.0	1		
Nagercoil	94	19	10.3	1	3	1	..	12	6.6	2		
Quilon	75	91	63.1	..	1	1	..	8	5.6	..		
Trichur	76	58	39.7	11	7.5	..		
Trivandrum City	218	177	42.2	..	1	..	3	..	1	..	18	4.3	..		
TOTAL		807	515	33.2	..	2	..	7	7	9	..	92	5.9	3	
Saurashtra															
Bhavnagar	157	72	23.8	4	3	12	..	32	10.6	5		
Dhoraji	47	26	28.8	3	7	7.7	..		
Gondal	41	27	34.2	2	2	6	7.6	..		
Jamnagar	122	25	10.7	7	..	7	..	23	9.8	7		
Junagadh	65	49	39.2	8	3	5	..	28	22.4	8		
Morvi	43	24	39.0	1	1	3	..	5	6.0	1		
Porbandar	64	31	25.2	10	1	1	..	18	14.6	8		
Rajkot	167	75	23.3	17	1	5	..	53	16.5	29		
Surendranagar†															
Veraval	46	7	7.9	2	..	1	..	4	4.5	1		
TOTAL		732	336	23.2	54	11	34	1	176	12.2	59	
ARREAR-RETURNS															
Madhya Pradesh															
<i>For w/e 29-9-56</i>															
Akola	104	80	40.0	7	1	2	..	23	11.5	6		
Amravati†															
Bilaspur	40	31	40.3	6	..	3	2	17	22.1	2		
Burhanpur	79	73	48.1	8	..	2	..	21	13.8	..		
Chanda†															
Chhindwara	31	33	55.3	4	2	7	11.7	..		
Damoh	42	46	57.0	5	3	13	16.1	..		
Khandwa	59	30	26.4	1	1	11	9.7	..		
Khangon	42	26	32.2	2	5	24	29.7	..		
Kamptee†															
Murwara†															
Itarsi	30	22	38.1	3	3	3	5.2	2		
Nagpur†	75	42	29.1	2	7	4.9	..		
Sagar															
Raipur†															
Raigarh	35	20	29.7	4	..	2	..	11	16.3	3		
Wardha†															
Yeotmal	41	37	46.9	5	2	13	16.5	5		
TOTAL		578	440	39.6	44	12	9	6	150	13.5	18	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information. ; "N. R." Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956—contd.

Deaths from—

Towns	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.†	I.D.
For w/e 22-9-56													
Madhya Pradesh—contd.													
Nagpur . . .	528	269	26·5	36	3	9	..	110	10·8	..
Kamptee . . .	36	34	49·1	5	7·2	..
Chhindwara . . .	31	30	50·3	5	3	12	20·1	4
For w/e 15-9-56													
Nagpur . . .	528	285	28·1	32	3	16	..	122	12·0	5
Kamptee . . .	36	24	34·7	15	21·7	..
Chhindwara . . .	31	37	62·1	1	1	14	23·5	4
For w/e 8-9-56													
Chhindwara . . .	31	11	18·5	2	2	19	31·9	6
Damoh . . .	42	48	59·4	1	6	7·4	..
Hyderabad													
For w/e 29-9-56													
Aurangabad . . .	73	12	8·5	2	..	2	14
Bidar . . .	37	6	8·5	2	..	5	..	7	9·8	1
Gulberga . . .	90	29	16·7	6	..	2	..	10	5·7	..
Hyderabad City . . .	1057	751	36·9	27	2	42	..	122	6·0	30
Jalna †													
Kothagudiam . . .	71	32	24·3	4	3·0	..
Latur . . .	41	1	1·3	1	..	2	..	3	3·8	..
Nanded . . .	80	18	11·7	2	7	4·5	..
Nizambad†													
Parbhani . . .	40	9	11·7	1	1	3	..	5	6·5	1
Raichur †													
Secunderabad City . . .	162	105	33·7	1	2	7	..	48	15·4	17
Warangal . . .	155	32	10·7	5	..	1	..	9	3·0	..
TOTAL . . .	1,806	995	28·6	43	7	64	..	217	6·2	49
For w/e 22-9-56													
Aurangabad . . .	73	16	11·4	1	..	2	2	4·3	1
Bidar . . .	37	11	15·5	7	..	1	..	8	11·2	2
Gulberga . . .	90	21	12·1	3	6	3·5	..
Hyderabad City . . .	1057	96	4·7	19	1	5	..	88	4·3	4
Latur . . .	41	3	3·8	1	1	..	2	2·5	..
Nanded . . .	80	27	17·6	1	11	7·2	1
Parbhani . . .	40	10	13·0	3	..	2	..	7	9·1	2
Secunderabad City . . .	162	158	50·7	6	3	8	..	37	11·9	11
Warangal . . .	155	37	12·4	4	7	2·3	..
TOTAL . . .	1,735	379	11·4	42	5	18	3	168	5·0	21
For w/e 25-8-56													
Aurangabad . . .	73	5	3·6	1	..	2	..	6	4·3	1
Bidar . . .	37	1	1·4	1	1	4	1	7	8·1	..
Gulberga . . .	90	7	4·0	4	3	1	1	10	5·8	..
Hyderabad City . . .	1057	817	40·2	..	1	..	22	8	18	..	139	6·8	18
Jalna †													
Kothagudiam †													
Latur . . .	41	1	1·2	1	1	4	1	7	8·1	..
Nanded . . .	80	47	30·6	2	6	3·9	1
Nizambad . . .	67	15	11·6	2	..	1	..	6	4·6	3
Parbhani †													
Raichur †													
Secunderabad City . . .	162	168	54·0	4	8	..	45	14·4	19
Warangal . . .	155	29	9·7	3	..	1	..	16	5·4	..
TOTAL . . .	1,762	1090	32·2	..	1	..	36	17	39	3	242	7·1	42

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956—contd.

Town	Mid-year Popn. Est. (ooo)	B.	B.R.*	C.	Deaths from :—							D.R.*	I.D.			
					S.	P.	F.	D.D.	R.D.	M.D.	Total					
Hyderabad																
					<i>For w/e 9-6-56</i>											
Aurangabad . . .	73	9	6·4	1	0·7	..		
Bidar . . .	37	10	14·5	2	..	1	..	3	4·2		
Gulberga . . .	90	2	1·1	2	2	1·1		
Hyderabad City . . .	1057	533	26·2	..	4	..	28	1	3	..	102	5·0	10	..		
Jalna†																
Kothagudiam . . .	71	64	46·9	—	5	3·7		
Latur . . .	41	1	1·2		
Nanded . . .	80	23	14·9	4	5	3·2	1	..		
Nizambad . . .	67	14	10·9	1	4	3·1	3	..		
Parbhani†																
Raichur†																
Secunderabad . . .	162	149	47·8	6	4	7	..	47	15·1	7	..		
Warangal†																
TOTAL	1,678	804	24·9	..	4	..	43	5	11	..	170	5·3	21			
Jammu & Kashmir																
					<i>For w/e 7-7-56</i>											
Srinagar . . .	242	123	26·4	1	..	10	..	26	5·5	1	..		
					<i>For w/e 14-7-56</i>											
Srinagar . . .	242	123	26·4	3	2	6	1	19	4·0	5	..		
					<i>For w/e 21-7-56</i>											
Srinagar . . .	242	104	22·3	3	..	3	1	21	4·5	5	..		
					<i>For w/e 28-7-56</i>											
Srinagar . . .	242	97	20·8	3	..	2	1	19	4·0	4	..		
					<i>For w/e 18-8-56</i>											
Jammu . . .	69	63	47·5	7	2	1	..	10	7·5		
					<i>For w/e 25-8-56</i>											
Jammu . . .	69	65	48·9	7	3	3	..	22	16·6		
Assam																
					<i>For w/e 29-9-56</i>											
Shillong†	51	15	15·3	3	5	5·1	1	..		
Gauhati	46	1	1·1	
Dibrugarh																
Silchar . . .	43	7	8·4	1	5	5·9	2	..		
TOTAL	140	23	8·5	3	1	10	3·7	3			
					<i>For w/e 22-9-56</i>											
Gauhati . . .	51	23	23·5	1	2	17	17·3	3	..		
Punjab																
					<i>For w/e 29-9-56</i>											
Sonepat . . .	34	31	47·6	4	6	9·2	2	..		
Rohtak . . .	105	59	29·3	3	2	1	..	14	7·0	2	..		
Simla . . .	50	24	25·0	1	..	7	7·2	4	..		
Tiruvanmore-Cochin																
					<i>For w/e 29-9-56</i>											
Mattancherry . . .	85	75	45·9	1	..	3	..	19	11·6	2	..		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; N—No information ; "N.R." —Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956—contd.

Deaths from :—

Town	Mid-year Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Orissa													
<i>For w/e 29-9-56</i>													
Berhampur	72	30	21.7	3	4	14	10.1	4
Cuttack	117	140	62.4	8	9	11	7	1	65	29.0	10
Puri	53	35	34.4	11	3	1	..	28	27.6	4
TOTAL	242	205	44.1	8	23	18	8	1	107	23.0	18
West Bengal													
<i>For w/e 29-9-56</i>													
Asansol†													
Baidyabati†													
Bally	66	12	9.4
Bankura†													
Bansberia†													
Baranagar	90	51	29.4	2	6	..	20	11.6	4
Basirhat	39	7	9.4	1	1.3	..
Berhampur	64	55	44.7	..	2	..	1	17	13.9	2
Bhadreshwar	34	7	10.7	1	..	4	6.2	2
Bhatpara	143	26	9.4	6	..	6	1	28	10.2	8
Budge Budge	32	6	9.6	2	1	..	6	9.6	..
Burdwan	82	17	10.7	4	..	11	7.0	..
Calcutta	2,984	1,546	27.0	2	4	..	22	41	136	3	568	10.0	194
Champadani	41	16	20.3	2	..	4	5.1	..
Cooch Bihar†													
Darjeeling†													
English Bazar	36	1	1.5	3	2	1	..	4.2	..
Garden Reach	124	15	6.3	10	4.2	4
Halishah†													
Hoogly-Chinsurah	60	68	59.2	..	2	5	..	2	2	1	8	7.0	2
Howrah	447	168	18.4	2	5	..	6	19	31	..	126	13.8	51
Jalpaiguri†													
Kamarhati†													
Kanchrapura	74	13	9.2	1	0.7	1
Krishnagar	56
Midnapore	45	31	36.0	7	8.1	..
Nababwip†													
Naihati†													
North Barrackpore†													
Panighati	65	2	1.6	1	0.8	..
Shantipur	49	22	23.5	2	2.1	1
Serampore	83	43	27.1	1	2	4	..	25	15.7	12
Siliguri	44	19	22.6	1	..	4	4.8	..
South Dum Dum	83	1	4	4
South Suburban	124	29	12.2	4	4	13	5.5	4
Titagarh†													
TOTAL	4,895	2,154	22.9	4	11	..	42	74	197	5	856	9.1	285
Saurashtra													
<i>For w/e 29-9-56</i>													
Bhavnagar	157	115	38.1	13	..	3	..	38	12.6	14
Dhoraji	47	43	47.6	4	..	3	..	13	14.4	5
Gondal	41	26	33.0	2	1	2	..	13	16.5	5
Jamnagar	122	20	8.5	4	1	5	..	14	6.0	5
Junagadh	65	48	34.4	12	2	3	..	21	16.8	5
Morvi	43	24	29.0	4	1	1	..	6	7.3	3
Porbander	64	43	35.0	10	1	20	16.3	12
Rajkot	167	97	30.0	15	1	3	..	54	16.8	23
Surendranagar†													
Veraval	46	8	9.0	6	..	3	..	10	11.3	2
TOTAL	752	424	29.3	70	7	23	..	189	13.1	74

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B. R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D. D. = Dysentery and Diarrhoea ; R. D. = Respiratory Diseases ; M. D. = Maternal Deaths ; D. R. = Death Rates ; I. D. = Infantile Deaths (included in total deaths) ; .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from:—												
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Madhya Bharat														
Greater Gwalior	273	153	29·1	4	4	1	..	30	5·7	7	
Indore†														
Ujjain†														
Ratlam	73	31	22·1	2	3	10	7·1	..	
TOTAL	346	184	27·7	6	4	1	3	40	6·0	7	
<i>For w/e 29-9-56</i>														
Greater Gwalior	273	194	36·9	2	1	1	..	10	1·9	2	
Indore	368	245	34·6	6	1	7	1	76	10·7	34	
Ujjain	156	50	16·7	15	2	..	1	35	11·7	12	
Ratlam	73	22	15·6	9	1	4	..	23	16·4	..	
Mandsaur	41	4	5·1	1	1	1·3	..	
TOTAL	911	515	29·4	—	33	5	12	2	145	8·3	48	
<i>For w/e 22-9-56</i>														
Greater Gwalior	273	145	27·7	11	4	8	1	78	14·9	32	
Indore†	156	60	20·0	12	3	38	12·7	17	
Ujjain														
Mandsaur	41	8	10·1	2	1	4	5·1	1	
TOTAL	470	213	23·6	25	7	8	2	120	13·3	50	
Rajasthan														
<i>For w/e 29-9-56</i>														
Alwar	60	6	5·2	2	2	1·7	..	
Churu	48	9	9·8	3	3	3·2	..	
Ganganagar	47	6	17	18·7	..	
Kotah	72	10	7·2	8	16	11·6	2	
<i>For w/e 12-5-56</i>														
Alwar	60	32	27·7	2	..	3	..	9	7·8	2	
Bharatpur	38	36	49·3	5	..	6	..	6	8·2	4	
Bikaner	117	40	17·8	..	2	..	5	1	6	..	20	8·9	2	
Churu	48	1	1·1	
Ganganagar	47	4	..	3	1	2	..	13	14·5	..	
Tonk	45	2	2·3	5	..	4	..	10	11·6	..	
Kotah	72	10	7·2	..	—	..	8	10	7·2	5	
Sikar†														
Jaipur	353	40	5·7	25	2	17	..	69	10·2	31	
Udaipur	106	20	9·8	1	4	1	8	3·9	2	
Jodhpur	200	41	10·7	11	3	5	..	39	10·1	6	
TOTAL	1,086	222	10·6	..	6	..	64	8	41	1	184	8·8	52	
<i>For w/e 10-3-56</i>														
Alwar	60	18	15·6	1	4	3·5	..	
Bharatpur	38	9	12·1	..	1	1	1·4	1	
Bikaner	117	50	22·2	..	4	..	5	4	16	..	47	20·9	2	
Churu	48	5	5·4	
Ganganagar	47	4	..	1	8	8·8	
Tonk	45	3	3·5	2	..	3	3·5	..	
Kotah	72	10	7·2	1	..	1	0·7	..	
Sikar†														
Jaipur	353	38	5·6	13	3	19	..	60	8·8	16	
Udaipur	106	18	8·8	..	1	4	..	8	3·9	1	
Jodhpur	200	77	20·0	11	..	4	..	26	6·8	4	
TOTAL	1,086	228	10·9	..	10	..	30	7	48	1	158	7·6	24	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B. R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D. D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M. D.—Maternal Deaths ; D. R.—Death Rate ; I. D.—Infantile Deaths (Included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956—concl'd.

Deaths from :-

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Rajasthan													
Alwar	60	37	32.1	7	6.1	..
Bharatpur	38	10	13.6	1	2	1	..	4	5.5	..
Bikaner	47	100	44.4	..	3	..	3	1	13	1	43	19.1	15
Churu	48	2	2.2	2	4	4.4	..
Ganganagar	47	2	2.2	..	1	..	2	1	..	1	7	7.7	..
Tonk	45	5	5.8	..	1	5	5.8	..
Kotah	72	18	13.0	1	1	1	..	8	5.9	2
Sikar†													
Jaipur	353	75	11.0	20	4	19	1	76	11.2	18
Udaipur	106	24	11.8	1	..	5	..	10	4.9	..
Jodhpur	200	55	14.3	9	5	5	..	29	7.5	5
TOTAL	1086	328	15.7	..	5	..	39	14	44	3	193	2.2	40
Uttar Pradesh													
Bulandshahr	41	18	22.9	6	6	7.6	1
Allahabad	342	275	41.9	1	1	32	..	65	9.9	16
Bijnor	31	26	43.7	1	2	5	..	10	16.8	3
Etawah	63	55	45.5	8	..	5	..	19	15.7	6
Hardwar	63	50	41.4	10	..	4	..	23	19.0	11
Lucknow	485	497	53.4	18	6	21	..	86	9.2	34
Mirzapur	95	93	51.0	8	2	1	..	14	7.7	4
Rampur	154	5	1.7	1	7	2.4	1
Shahjahanpur	99	105	55.3	12	2	2	..	28	14.7	6
<i>For w/e 12-11-55</i>													
Banda	32	16	26.0	5	5	6.3	1
Bulandshar	41	18	22.9	2	4	6.5	1
Bijnor	31	26	43.7	3	1	2	..	7	11.8	2
Hapur	48	50	54.3	4	1	5	..	17	18.5	4
Etawah	63	78	64.5	9	3	2	..	28	23.2	11
Lucknow	485	545	58.6	8	..	21	..	99	10.9	25
Rampur	154	8	2.7	6	6	2.0	1
<i>For w/e 19-11-55</i>													
Bulandshahr	41	9	11.4	1	..	6	9.8	..
Banda	32	13	21.2	2	9	15.1	3
Bijnor	31	23	38.7	3	1	3	..	9	15.1	3
Etawah	63	58	48.0	4	..	9	..	24	19.9	4
Rampur	154	14	..	10	..	25	20.4	10
Sambhal	64	54	44.0			
<i>For w/e 26-11-55</i>													
Bulandshahr	41	21	26.7	1	1	1.3	..
Amroha	60	73	63.4	1	3	15	..	29	25.2	11
Banda	32			
Ballia	34	14	21.5	3	6	9.2	2
Etawah	63	68	56.3	7	4	2	..	24	19.9	7
Bijnor	31	25	42.0	1	4	..	11	18.5	..
Rampur	154	7	2.4	1	3	1.0	..
Maunath Bhanjan	37	37	52.0	..	1	..	3	4	14	19.7	4
Madhya Bharat													
<i>For w/e 18-9-56 (Revised)</i>													
Mandsaur	41	2	2.5	1	..	1	..	3	3.8	1
<i>For w/e 25-8-56 (Revised)</i>													
Indore	368	125	17.7	9	1	8	5	82	11.6	59

REMARKS

The figures of births and deaths shown in this statement for week ending the 6th October, 1956 relate to 220 towns with an estimated population of 30,658 thousands. The total number of towns is 318 and their population is 41,584 thousands. Thus 69% of the total number of towns representing 74% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 18,640 and 6,758 representing birth and death rates of 31.6 and 11.5 per thousand of population respectively.

(a) States (Parts A and C).—The data here relate to 178 towns with an estimated population of 24,651 thousands. Information about Assam Bihar Madhya Pradesh and Orissa could not be included. The total number of towns is 253 and their population is 33,500 thousands. Thus 70% of the total number of towns representing 74% of the total population is covered. The number of births

and deaths recorded in these towns were 16,361 and 5,923 representing birth rates and death rates of 34.5 and 12.5 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) States (Part B).—The data here relate to 42 towns with an estimated population of 6,007 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 65% of the total number of towns representing 74% of the total population is covered. The number of births and deaths recorded in these towns were 2,279 and 835 representing birth and death rates of 19.7 and 7.2 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 6-10-1956		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer . . .	19.2	8.7	†	†	39.0	17.0
Andhra . . .	31.3	15.2	41.0	16.6	†	†
Bombay . . .	35.7	12.8	37.9	14.3	36.9	15.9
Delhi . . .	39.7	8.7	44.5	10.1	46.9	9.8
Madras . . .	31.5	12.9	39.3	16.4	†	†
Punjab (I)	45.5	9.4	41.1	8.2	42.3	10.0
Uttar Pradesh . .	38.4	15.1	45.1	14.9	39.7	17.4
West Bengal . .	19.4	7.8	26.7	9.8	24.3	11.7
India*	34.5	12.5	38.2	13.6	37.5	16.3

*6 Part 'A' States and 2 Part 'C' States.

†Figures not available.

NEW DELHI-2 (INDIA); }
The 29th October, 1956. }

K. MITRA,
for Registrar General, India.